ELSEVIER

Physica C 262 (1996) 297–300

PHYSICA C

Author Index to Volume 262

Adachi, S., see Usami, R., **262**, 21
Agrawal, B.K., see Yadav, P.S., **262**, 103
Agrawal, S., see Yadav, P.S., **262**, 103
Aït Salah, B., M. Mansori, M.A. Fremy, M.H. Pischedda, M. Roubin, A. Benlhachemi, H. Benyaich and J.R. Gavarri, High-T_c superconductor/silver composites. A new direct preparation process, **262**, 111
Al-Mosawi, M., see Penny, M., **262**, 63
Amitin, E.B., see Naumov, V.N., **262**, 143
Ausloos, M., see Stassen, S., **262**, 45
Auweiler, T., see Kierspel, H., **262**, 177
Awaji, S., see Han, G.C., **262**, 292
Awana, V.P.S., L. Menon and S.K. Malik, Synthesis, superconductivity and magnetism of $RSr_2Cu_2NbO_{7+\delta}$ compounds (R = Y, Pr and Gd), **262**, 266
Awana, V.P.S., S.K. Malik and W.B. Yelon, Structural aspects and superconductivity in oxygen-deficient $Y_{1-x}Ca_xBa_2Cu_3O_{7-y}$ ($y \approx 0.3$) system A neutron-diffraction study, **262**, 272

Baldini, A., E. Borchi, R. Garrè, A. Lascialfari, L. Masi and A. Peruzzi, Transport and AC susceptibility critical currents in Ag sheathed Bi(Pb)2223 tapes, **262**, 68
Beduz, C., see Penny, M., **262**, 63
Benlhachemi, A., see Aït Salah, B., **262**, 111
Benyaich, H., see Aït Salah, B., **262**, 111
Beyer, J., see Schurig, Th., **262**, 89
Bezotosny, I.Yu., V.F. Elesin, V.P. Mar'in, A.A. Sinchenko, V.F. Vikulov, I.S. Lyubutin and K.V. Frolov, Influence of defects produced by fast electrons on superconducting and magnetic properties of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-y}$ system, **262**, 215
Borchi, E., see Baldini, A., **262**, 68
Bordet, P., S. Le Floch, J.J. Capponi, C. Chaillout, M.F. Gorius, M. Marezio, J.L. Tholence and P.G. Radaelli, Gold substitution in mercury cuprate superconductors, **262**, 151
Böttner, R., see Ratz, S., **262**, 255
Brand, C., see Eisenmenger, J., **262**, 168
Büchner, B., see Kierspel, H., **262**, 177
Bud'ko, S.L., see Canfield, P.C., **262**, 249

Cai, C.B., see Qin, M.J., **262**, 127
Canfield, P.C., S.L. Bud'ko and B.K. Cho, Possible co-existence of superconductivity and weak ferromagnetism in $ErNi_2B_2C$, **262**, 249
Capponi, J.J., see Bordet, P., **262**, 151
Chaillout, C., see Bordet, P., **262**, 151
Cho, B.K., see Canfield, P.C., **262**, 249
Cloots, R., see Stassen, S., **262**, 45

Das, A., see Taylor, C.R., **262**, 135
Delamare, M.P., M. Hervieu, J. Wang, J. Provost, I. Monot, K. Verbist and G. Van Tendeloo, Combination of CeO_2 and PtO_2 doping for strong enhancement of J_c under magnetic field in melt-textured superconductor YBaCuO, **262**, 220
Díaz, O., see Mulet, R., **262**, 227
Ding, S.Y., see Qin, M.J., **262**, 127
Duijn, V.H.M., see Kierspel, H., **262**, 177

Eisenmenger, J., C. Brand and P. Leiderer, Microbridge on $YBa_2Cu_3O_{7-\delta}$ thin film patterned by reversible laser annealing, **262**, 168
Elesin, V.F., see Bezotosny, I.Yu., **262**, 215
Eremenko, V.V., I.S. Kachur, V.G. Piryatinskaya, A.M. Ratner and V.V. Shapiro, Effect of potential relief on superconductivity revealed by time variations in Y–Ba–Cu–O superconductor properties under illumination, **262**, 54

Fan, N.Q. and J.H. Miller Jr., Possible detection of macroscopic quantum spectra using a magnetic resonance technique, **262**, 195
Fedorov, V.E., see Naumov, V.N., **262**, 143
Fischer, J.E., see Robert, J., **262**, 27
Flores, L., see Mulet, R., **262**, 227
Franse, J.J.M., see Kierspel, H., **262**, 177
Fremy, M.A., see Aït Salah, B., **262**, 111
Freund, W., see Ratz, S., **262**, 255
Frolov, K.V., see Bezotosny, I.Yu., **262**, 215
Frolova, G.I., see Naumov, V.N., **262**, 143
Fu, Y.X., see Qin, M.J., **262**, 127

Garrè, R., see Baldini, A., **262**, 68
Gavarri, J.R., see Aït Salah, B., **262**, 111
Geibel, C., see Wang, N.L., **262**, 231
Gerhardt, U., see Ratz, S., **262**, 255
Gierlowski, P., see Okunev, V.D., **262**, 75
González, J.L., see Mulet, R., **262**, 227
Gorius, M.F., see Bordet, P., **262**, 151
Greaves, C., see Taylor, C.R., **262**, 135
Günther, M., see Ratz, S., **262**, 255
Güttler, B., see Schurig, Th., **262**, 89

Han, G.C., S. Awaji, K. Watanabe, N. Kobayashi, K. Kimura and M. Hashimoto, Magnetization hysteresis of quench-melt-growth processed $YBa_2Cu_3O_7$ in high fields up to 23 T, **262**, 292
Hashimoto, M., see Han, G.C., **262**, 292
Hervieu, M., see Delamare, M.P., **262**, 220
Hervieu, M., see Michel, C., **262**, 159
Hien, N.T., see Kierspel, H., **262**, 177
Hirabayashi, I., see Kitamura, T., **262**, 120

Ikuhara, Y., see Kitamura, T., **262**, 120
Imagawa, Y. and Y. Shiohara, Orientation control of Pt added $YBa_2Cu_3O_{6+x}$ by the directional solidification method, **262**, 243
Itoh, M., see Usami, R., **262**, 21

Jang, W.J., see Kutami, H., **262**, 173

Kachur, I.S., see Eremenko, V.V., **262**, 54
Kawashima, T., see Ramírez-Castellanos, J., **262**, 285
Kawazoe, M., see Tatsumi, M., **262**, 261
Khan, M.K.R., Y. Mori, I. Tanaka and H. Kojima, Growth and superconductivity of $La_{2-x}Ca_xCuO_4$ single crystals, **262**, 202
Kierspel, H., H. Winkelmann, T. Auweiler, W. Schlabitz, B. Büchner, V.H.M. Duijn, N.T. Hien, A.A. Menovsky and J.J.M. Franse, Thermal expansion, specific heat, and uniaxial pressure dependences of T_c in $Bi_2Sr_2CaCu_2O_{8+\delta}$, **262**, 177
Kimura, K., see Han, G.C., **262**, 292
Kirkland, A.I., see Ramírez-Castellanos, J., **262**, 285
Kitamura, T., J.G. Wen, Y. Shiohara, N. Koshizuka, I. Hirabayashi, S. Tanaka, Y. Sugawara and Y. Ikuhara, Formation mechanism of grain boundaries in $YBa_2Cu_3O_{7-y}$ superconducting thick film by liquid phase epitaxy, **262**, 120
Knappe, S., see Schurig, Th., **262**, 89
Kobayashi, N., see Han, G.C., **262**, 292
Koch, H., see Schurig, Th., **262**, 89
Kojima, H., see Khan, M.K.R., **262**, 202
Koshizuka, N., see Kitamura, T., **262**, 120
Kula, W., see Okunev, V.D., **262**, 75
Kumar, S., see Yadav, P.S., **262**, 103
Kutami, H., Y. Yamada, H. Mori, W.J. Jang, M. Nakamura, Z. Nakagawa and Y. Shiohara, Structure refinement of a twin-free orthorhombic $YBa_2Cu_3O_x$ single crystal prepared by SRL-CP method, **262**, 173

Lascialfari, A., see Baldini, A., **262**, 68
Le Floch, S., see Bordet, P., **262**, 151
Leiderer, P., see Eisenmenger, J., **262**, 168
Letouzé, F., see Michel, C., **262**, 159
Lewandowski, S.J., see Okunev, V.D., **262**, 75
Li, H.C., see Wen, H.H., **262**, 81
Lin, S.-H. and N.-L. Wu, Sub-solidus relations in CaO–BaO–CuO with and without carboxyl contamination, **262**, 33
Lyubutin, I.S., see Bezotosny, I.Yu., **262**, 215

Malik, S.K., see Awana, V.P.S., **262**, 266
Malik, S.K., see Awana, V.P.S., **262**, 272
Mansori, M., see Aït Salah, B., **262**, 111
Marezio, M., see Bordet, P., **262**, 151
Mar'in, V.P., see Bezotosny, I.Yu., **262**, 215
Marquardt, S., see Ratz, S., **262**, 255
Martin, C., see Michel, C., **262**, 159
Masi, L., see Baldini, A., **262**, 68
Matsui, Y., see Matveev, A.T., **262**, 279
Matsui, Y., see Ramírez-Castellanos, J., **262**, 285
Matveev, A.T., J. Ramirez-Castellanos, Y. Matsui and E. Takayama-Muromachi, New high-T_c superconductor, $(Ge_zCu_{1-z})Sr_2Ca_{2-x}Y_xCu_3O_y$ ((Ge,Cu)-1223) prepared under high pressure, **262**, 279
Mazéas, N., see Stassen, S., **262**, 45
Menkel, S., see Schurig, Th., **262**, 89
Menon, L., see Awana, V.P.S., **262**, 266
Menovsky, A.A., see Kierspel, H., **262**, 177
Michel, C., F. Letouzé, C. Martin, M. Hervieu and B. Raveau, Neutron diffraction structure determination of the superconducting copper oxychromate $Tl_3(CrO_4)Sr_8Cu_4O_{16}$, **262**, 159
Miller Jr., J.H., see Fan, N.Q., **262**, 195
Monot, I., see Delamare, M.P., **262**, 220
Mori, H., see Kutami, H., **262**, 173
Mori, Y., see Khan, M.K.R., **262**, 202
Mulet, R., L. Flores, O. Díaz and J.L. González, Monte Carlo simulations of $J_c(T)$ dependences for ceramic YBaCuO and BSCCO superconductors, **262**, 227

Nagase, K., see Nakajima, S., **262**, 1
Nakagawa, Z., see Kutami, H., **262**, 173
Nakajima, S., T. Oku, K. Nagase and Y. Syono, Superconductivity in the overdoping state of the $(Hg,Tl)(Ba,La)_2CuO_t$ and $(Hg,Tl)_2Ba_2CuO_t$ systems, **262**, 1
Nakamura, M., see Kutami, H., **262**, 173
Naughton, M.J., see Wang, C.A., **262**, 98
Naumov, V.N., G.I. Frolova, E.B. Amitin, V.E. Fedorov and P.P. Samoilov, Electron heat capacity and moments of phonon density of states of $HoBa_2Cu_3O_{7-\delta}$, **262**, 143

Oi Nakamura, Y., see Yokoya, Y., **262**, 187
Oku, T., see Nakajima, S., **262**, 1
Okunev, V.D., N.N. Pafomov, V.M. Svistunov, S.J. Lewandowski, P. Gierlowski and W. Kula, Percolation metal–insulator transition in BiSrCaCuO films, **262**, 75
Ong, C.K., see Zhang, X., **262**, 13

Pafomov, N.N., see Okunev, V.D., **262**, 75
Paracchini, C. and L. Romanò, The dissipation of a superconducting BSCCO film on the I–T plane, **262**, 207
Penny, M., C. Beduz, Y. Yang, M. Al-Mosawi, R. Scurlock and R. Wroe, Effects of the time sequence of the cold rolling on the processing time of Ag-alloy sheathed $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ tapes, **262**, 63
Peruzzi, A., see Baldini, A., **262**, 68
Petit, P., see Robert, J., **262**, 27
Petrou, A., see Wang, C.A., **262**, 98
Petrov, D.K., see Wang, C.A., **262**, 98
Piryatinskaya, V.G., see Eremenko, V.V., **262**, 54

Pischedda, M.H., see Aït Salah, B., **262**, 111
Provost, J., see Delamare, M.P., **262**, 220

Qin, M.J., S.Y. Ding, C. Ren, X.X. Yao, Y.X. Fu, C.B. Cai, T.S. Shi and G.Y. Wang, Logarithmic $U(j)$ relationship in melt-textured growth $YBa_2Cu_3O_{6+x}$ by AC susceptibility measurements, **262**, 127
Quan, Z., see Schurig, Th., **262**, 89

Radaelli, P.G., see Bordet, P., **262**, 151
Ramírez-Castellanos, J., Y. Matsui, T. Kawashima, E. Takayama-Muromachi and A.I. Kirkland, Structural study of $Sr_3Ca_3Cu_6O_{15\pm\delta}$ by HRTEM, **262**, 285
Ramirez-Castellanos, J., see Matveev, A.T., **262**, 279
Ratner, A.M., see Eremenko, V.V., **262**, 54
Ratz, S., R. Böttner, W. Freund, N. Schroeder, S. Marquardt, S. Weiss, M. Günther, U. Gerhardt and Th. Wolf, Angle-resolved photoelectron spectra of $YBa_2Cu_3O_{7-\delta}$ (001) surfaces prepared with a micro milling machine, **262**, 255
Raveau, B., see Michel, C., **262**, 159
Ren, C., see Qin, M.J., **262**, 127
Ren, Z.F., see Wang, C.A., **262**, 98
Robert, J., P. Petit and J.E. Fischer, Phase transformations and kinetics studies of phase instabilities in KC_{60}, **262**, 27
Romanò, L., see Paracchini, C., **262**, 207
Roubin, M., see Aït Salah, B., **262**, 111
Rulmont, A., see Stassen, S., **262**, 45

Samoilov, P.P., see Naumov, V.N., **262**, 143
Saxena, A.K., see Singh, H.K., **262**, 7
Schlabitz, W., see Kierspel, H., **262**, 177
Schroeder, N., see Ratz, S., **262**, 255
Schurig, Th., S. Menkel, Z. Quan, J. Beyer, B. Güttler, S. Knappe and H. Koch, Large-area YBCO thin film deposition using linear hollow cathode discharge sputtering, **262**, 89
Scurlock, R., see Penny, M., **262**, 63
Shapiro, V.V., see Eremenko, V.V., **262**, 54
Shi, T.S., see Qin, M.J., **262**, 127
Shiohara, Y., see Imagawa, Y., **262**, 243
Shiohara, Y., see Kitamura, T., **262**, 120
Shiohara, Y., see Kutami, H., **262**, 173
Shiohara, Y., see Tsujino, J., **262**, 236
Sinchenko, A.A., see Bezotosny, I.Yu., **262**, 215
Singh, H.K., A.K. Saxena and O.N. Srivastava, The formation and characterization of Tl doped Hg–Ba–Ca–Cu–O superconducting films synthesised through spray pyrolysis, **262**, 7
Srivastava, O.N., see Singh, H.K., **262**, 7
Stassen, S., A. Vanderschueren, N. Mazéas, A. Rulmont, M. Ausloos and R. Cloots, Bi based 2223 superconducting materials prepared by the "glassy-matrix" precursor method. Influence of the nature of the additional crystalline precursor, **262**, 45
Steglich, F., see Wang, N.L., **262**, 231
Sugawara, Y., see Kitamura, T., **262**, 120
Suryanarayanan, R., see Taylor, C.R., **262**, 135
Svistunov, V.M., see Okunev, V.D., **262**, 75
Syono, Y., see Nakajima, S., **262**, 1

Takayama-Muromachi, E., see Matveev, A.T., **262**, 279
Takayama-Muromachi, E., see Ramírez-Castellanos, J., **262**, 285
Tanabe, K., see Usami, R., **262**, 21
Tanaka, I., see Khan, M.K.R., **262**, 202
Tanaka, S., see Kitamura, T., **262**, 120
Tatsuki, T., see Usami, R., **262**, 21
Tatsumi, M., M. Kawazoe and S. Yamamoto, Synthesis of bulk superconductors $RBa_2Cu_4O_8$ (R = Tm, Er, Ho, Y, Dy and Gd) by a simple solid-state reaction method, **262**, 261
Taylor, C.R., A. Das, C. Greaves, I. Zelenay and R. Suryanarayanan, Neutron diffraction and thermopower of $Y_{1-x}Pr_xSr_2Cu_{2.8}Re_{0.2}O_{6+z}$ ($x = 0$ and 0.60), **262**, 135
Tholence, J.L., see Bordet, P., **262**, 151
Tokiwa-Yamamoto, A., see Usami, R., **262**, 21
Tsujino, J. and Y. Shiohara, Growth process of $YBa_2Cu_3O_{7-x}$ films prepared by RF thermal plasma evaporation, **262**, 236

Usami, R., S. Adachi, M. Itoh, T. Tatsuki, A. Tokiwa-Yamamoto and K. Tanabe, Synthesis of $HgBa_2Ca_3Cu_4O_y$ under ambient pressure, **262**, 21

Vanderschueren, A., see Stassen, S., **262**, 45
Van Tendeloo, G., see Delamare, M.P., **262**, 220
Verbist, K., see Delamare, M.P., **262**, 220
Vikulov, V.F., see Bezotosny, I.Yu., **262**, 215

Wang, C.A., Z.F. Ren, J.H. Wang, D.K. Petrov, M.J. Naughton, W.Y. Yu and A. Petrou, Superconducting epitaxial $Tl_2Ba_2CuO_{6+\delta}$ thin films on $SrTiO_3$ with tetragonal lattice and continuously adjustable critical temperature, **262**, 98
Wang, G.Y., see Qin, M.J., **262**, 127
Wang, J., see Delamare, M.P., **262**, 220
Wang, J.H., see Wang, C.A., **262**, 98
Wang, N.L., C. Geibel and F. Steglich, Observation of resistivity saturation below 300 K in Y-doped $Bi_2Sr_2CaCu_2O_y$ single crystals, **262**, 231
Wang, R.L., see Wen, H.H., **262**, 81
Watanabe, K., see Han, G.C., **262**, 292
Weiss, S., see Ratz, S., **262**, 255
Wen, H.H., Z.X. Zhao, R.L. Wang, H.C. Li and B. Yin, Evidence for the lattice-mismatch-stress-field induced flux pinning in $(Gd_{1-x}Y_x)Ba_2Cu_3O_{7-\delta}$ thin films, **262**, 81
Wen, J.G., see Kitamura, T., **262**, 120
Winkelmann, H., see Kierspel, H., **262**, 177
Wolf, Th., see Ratz, S., **262**, 255
Wroe, R., see Penny, M., **262**, 63
Wu, N.-L., see Lin, S.-H., **262**, 33

Xu, S.Y., see Zhang, X., **262**, 13

Yadav, P.S., S. Kumar, S. Agrawal and B.K. Agrawal, Van Hove singularities in the parent superconductor $Ca_{1-x}Sr_xCuO_2$, **262**, 103
Yamada, Y., see Kutami, H., **262**, 173
Yamamoto, S., see Tatsumi, M., **262**, 261
Yang, Y., see Penny, M., **262**, 63
Yao, X.X., see Qin, M.J., **262**, 127

Yelon, W.B., see Awana, V.P.S., **262**, 272
Yin, B., see Wen, H.H., **262**, 81
Yokoya, Y. and Y. Oi Nakamura, Anomalous band-filling dependence of the quasiparticle density of states and the gap ratio $2\Delta_0/k_BT_c$ in strong-coupling superconductors, **262**, 187
Yu, W.Y., see Wang, C.A., **262**, 98
Zelenay, I., see Taylor, C.R., **262**, 135
Zhang, X., S.Y. Xu and C.K. Ong, Location of excess oxygen atoms in $HgBa_2CaCu_2O_{6+\delta}$, **262**, 13
Zhao, Z.X., see Wen, H.H., **262**, 81

ELSEVIER

Physica C 262 (1996) 301–302

PHYSICA C

Analytic Subject Index to Volume 262

AC susceptibility
–of Ag sheathed Bi(Pb)2223 tapes 68
AC-susceptibility
–of $YBa_2Cu_2O_{6+x}$ 127
AFM
–of $YBa_2Cu_3O_{7-x}$ films 236
Ac-susceptibility
–of $Au/HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ 151
–of $Y_{1-x}Ca_xBa_2Cu_3O_{7-y}$ 272
Activation energy
–of $YBa_2Cu_2O_{6+x}$ 127
Angle-resolved photoemission
–of $YBa_2Cu_3O_{7-\delta}$ 255
Annealing
–of $HgBa_2Ca_3Cu_4O_y$ 21
Applications of high–T_c superconductors 168

Band structure 187

CeO_2 doping
–in $YBa_2Cu_3O_{7-x}$ 220
Cleaving
–of $YBa_2Cu_3O_{7-\delta}$ 255
Conductivity
–of BiSrCaCuO films 75
Critical current density
–of Ag sheathed Bi(Pb)2223 tapes 68
–of Ag-Alloy sheathed $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ tapes 63
–of $GdBa_2Cu_3O_{7-\delta}$ films 81
–of $Hg_{1-x}Tl_xBa_2Ca_2Cu_3O_{8+\delta}$ thin films 7
–of $YBa_2Cu_3O_{7-x}$ 220
Cu–O chains 54
CuO planes 54

Depairing 207
Directional solidification
–of $Pt/YBa_2Cu_3O_{6+x}$ 243
Dissipation
–in BSCCO film 207
Drude model 231

ESR
–of KC_{60} 27

Electric resistivity
–of $(Ge_zCu_{1-z})Sr_2Ca_{2-x}Y_xCu_3O_y$ 279
Electrical resistance
–of Ag/Bi-2212 111
–of Ag/YBCO 111
Electrical resistivity
–of BSCCO film 207
–of $Bi_2Si_2Ca_{x-1}Cu_nO_{4x+2}$ 45
–of $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_y$ single crystals 231
–of $Hg_{1-x}Tl_xBa_2CuO_v$ 1
–of $Hg_{2-z}Tl_zBa_2CuO_v$ 1
–of $La_{2-x}Ca_xCuO_4$ single crystals 202
Electron heat capacity
–of $HoBa_2Cu_3O_{7-\delta}$ 143
Electron–phonon coupling 187
Electronic structure
–of $Ca_{1-x}Sr_xCuO_2$ 103
–of $Y_1Ba_2Cu_3O_{6.5}$ 54
Eliashberg equations 187

Fermi edge
–in $YBa_2Cu_3O_{7-\delta}$ 255
Ferromagnetism
–in $ErNi_2B_2C$ single crystals 249
Fishtail effect
–in $YBa_2Cu_3O_7$ 292
Flux creep
–in $GdBa_2Cu_3O_{7-\delta}$ films 81
Flux pinning
–in $GdBa_2Cu_3O_{7-\delta}$ films 81
–in $YBa_2Cu_2O_{6+x}$ 127

Growth mechanism
–of $YBa_2Cu_3O_{7-x}$ films 236

HRTEM
–of $Sr_3Ca_3Cu_6O_{15\pm\delta}$ 285
Heat capacity
–of $HoBa_2Cu_3O_{7-\delta}$ 143
High-pressure synthesis
–of $(Ge_zCu_{1-z})Sr_2Ca_{2-x}Y_xCu_3O_y$ 279
–of $Sr_3Ca_3Cu_6O_{15\pm\delta}$ 285

Ioffe–Regel limit 231
Irradiation effects 215

Josephson junctions 227

Laser treatment
–of $Tl_3(CrO_4)Sr_8Cu_4O_{16}$ 159

Mössbauer spectroscopy
–of $YBa_2(Cu_{0.90}Fe_{0.10})_3O_{7.07}$ 215
–of $YBa_2(Cu_{0.99}Fe_{0.01})_3O_{6.97}$ 215
Magnetic resonance 202
Magnetic susceptibility
–of $(Ge_zCu_{1-z})Sr_2Ca_{2-x}Y_xCu_3O_y$ 279
–of Ag sheathed Bi(Pb)2223 tapes 68
–of $RSr_2Cu_2NbO_{7+\delta}$ 266
Magnetic-ordering temperature 215
Magnetization
–of $ErNi_2B_2C$ single crystals 249
–of $La_{2-x}Ca_xCuO_4$ single crystals 202
–of $YBa_2Cu_3O_x$ single crystal 173
–of $YBa_2Cu_3O_7$ 292
Metal–insulator transition 54
–in BiSrCaCuO films 75
Metal–insulator transition 168
Microwave absorption 202
Monte Carlo simulations of critical current density 227

Neutron diffraction
–of $Tl_3(CrO_4)Sr_8Cu_4O_{16}$ 159
–of $Y_{1-x}Ca_xBa_2Cu_3O_{7-y}$ 272
–of $Y_{1-x}Pr_xSr_2Cu_{2.8}Re_{0.2}O_{6+z}$ 135

Orientation control
–of $Pt/YBa_2Cu_3O_{6+x}$ 243
Oxygen stoichiometry
–in $HgBa_2CaCu_2O_{6+\delta}$ 13
–of $YBa_2Cu_3O_{7-\delta}$ thin film 168

Peak effect
–in $YBa_2Cu_3O_7$ 292
Percolation mechanism 75
Phase diagram
–of CaO–BaO–CuO 33
Phase transformations
–in KC_{60} 27

Phonon density of states
–in $HoBa_2Cu_3O_{7-\delta}$ 143
PtO_2 doping
–in $YBa_2Cu_3O_{7-x}$ 220

Raman scattering
–of YBCO thin films 89

SEM
–of $Hg_{1-x}Tl_xBa_2Ca_2Cu_3O_{8+\delta}$ thin films 7
SIS model 227
Specific heat at T_c
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystal 177
Specific heat
–of $ErNi_2B_2C$ single crystals 249
Sputtering
–of YBCO thin films 89
Squid 202
Structural phase transition
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystal 177
Structure
–of $Ca_{1-x}Sr_xCuO_2$ 103
–of $Ca_{1-x}Ba_8{}_{Cu}4_O10-2x_{(CO}3_)3+x$ 33
–of $CaBa_8Cu_3O_8(CO_3)_4$ 33
–of $Hg_{1-x}Tl_xBa_2CuO_v$ 1
–of $HgBa_2CaCu_2O_{6+\delta}$ 13
–of $La_{2-x}Ca_xCuO_4$ single crystals 202
–of $RSr_2Cu_2NbO_{7+\delta}$ 266
–of $Sr_3Ca_3Cu_6O_{15\pm\delta}$ 285
–of $Tl_3(CrO_4)Sr_8Cu_4O_{16}$ 159
–of $Y_{1-x}Ca_xBa_2Cu_3O_{7-y}$ 272
–of $YBa_2Cu_3O_x$ single crystal 173
Substitution effects
–in $GdBa_2Cu_3O_{7-\delta}$ films 81
–in $HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ 151
–in $YBa_2Cu_3O_{6+x}$ 243
Synthesis
–of Ag-Alloy sheathed $(Bi,Pb)_2$-$Sr_2Ca_2Cu_3O_x$ tapes 63
–of $Bi_{1.6}Pb_{0.4}Si_2Ca_1Cu_2O(8+\delta)/Ag$ 111
–of $Bi_2Si_2Ca_{x-1}Cu_nO_{4x+2}$ 45
–of $Hg_{1-x}Tl_xBa_2Ca_2Cu_3O_{8+\delta}$ thin films 7
–of $Hg_{1-x}Tl_xBa_2CuO_v$ 1
–of $Hg_{2-z}Tl_zBa_2CuO_v$ 1
–of $HgBa_2Ca_3Cu_4O_y$ 21
–of $La_{2-x}Ca_xCuO_4$ single crystals 202
–of $RBa_2Cu_4O_8$ 261
–of $RSr_2Cu_2NbO_{7+\delta}$ 266
–of $Tl_2Ba_2CuO_{6+\delta}$ 98
–of YBCO thin films 89
–of $YBa_2Cu_3O_7/Ag$ 111
–of $YBa_2Cu_3O_{7-x}$ films 236
–of $YBa_2Cu_3O_{7-y}$ thick films 120

TEM
–of $YBa_2Cu_3O_{7-x}$ 220
–of $YBa_2Cu_3O_{7-y}$ thick films 120
Thermal expansion
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystal 177
Thermopower
–of $Y_{1-x}Pr_xSr_2Cu_{2.8}Re_{0.2}O_{6+z}$ 135
Transport properties
–of $YBa_2Cu_3O_{7-y}$ thick films 120
Twin boundaries
–in $YBa_2Cu_3O_x$ single crystal 173

Van Hove singularity
–in $Ca_{1-x}Sr_xCuO_2$ 103

Weak links
–of $Bi_2Si_2Ca_{x-1}Cu_nO_{4x+2}$ 45

XPS
–of YBCO thin films 89
XRD
–of Ag-Alloy sheathed $(Bi,Pb)_2$-$Sr_2Ca_2Cu_3O_x$ tapes 63
–of $Au/HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ 151
–of $Bi_2Si_2Ca_{x-1}Cu_nO_{4x+2}$ 45
–of Ca–Ba–Cu–O 33
–of $HgBa_2Ca_3Cu_4O_y$ 21
–of $RBa_2Cu_4O_8$ 261
–of $Y_{1-x}Pr_xSr_2Cu_{2.8}Re_{0.2}O_{6+z}$ 135
–of YBCO thin films 89

ELSEVIER

Physica C 262 (1996) 303–304

PHYSICA C

Materials Index to Volume 262

Ag sheathed Bi(Pb)2223 tapes
–AC susceptibility 68
–critical current density 68
–magnetic susceptibility 68
Ag-Alloy sheathed $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ tapes
–critical current density 63
–synthesis 63
–XRD 63
Ag/Bi-2212
–electrical resistance 111
Ag/YBCO
–electrical resistance 111
$Au/HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$
–AC-susceptibility 151
–XRD 151

BSCCO film
–dissipation 207
–electrical resistivity 207
$Bi_{1.6}Pb_{0.4}Si_2Ca_1Cu_2O(8+\delta)/Ag$
–synthesis 111
$Bi_2Si_2Ca_{x-1}Cu_nO_{4x+2}$
–electrical resistivity 45
–synthesis 45
–weak links 45
–XRD 45
$Bi_2Sr_2Ca_{1-x}Y_xCu_2O_y$ single crystals
–electrical resistivity 231
$Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystal
–specific heat at T_c 177
–structural phase transition 177
–thermal expansion 177
BiSrCaCuO films
–conductivity 75
–metal–insulator transition 75

Ca–Ba–Cu–O
–XRD 33
$Ca_{1-x}Sr_xCuO_2$
–electronic structure 103
–structure 103
–van Hove singularity 103

$Ca_{1-x}Ba_8Cu_4O_{10-2x}(CO_3)_{3+x}$
–structure 33
$CaBa_8Cu_3O_8(CO_3)_4$
–structure 33
CaO–BaO–CuO
–phase diagram 33

$ErNi_2B_2C$ single crystals
–ferromagnetism 249
–magnetization 249
–specific heat 249

$GdBa_2Cu_3O_{7-\delta}$ films
–critical current density 81
–flux creep 81
–flux pinning 81
–substitution effects 81
$(Ge_zCu_{1-z})Sr_2Ca_{2-x}Y_xCu_3O_y$
–electric resistivity 279
–high-pressure synthesis 279
–magnetic susceptibility 279

$Hg_{1-x}Tl_xBa_2Ca_2Cu_3O_{8+\delta}$ thin films
–critical current density 7
–SEM 7
–synthesis 7
$Hg_{1-x}Tl_xBa_2CuO_t$
–electrical resistivity 1
–structure 1
–synthesis 1
$Hg_{2-z}Tl_zBa_2CuO_t$
–electrical resistivity 1
–synthesis 1
$HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$
–substitution effects 151
$HgBa_2Ca_3Cu_4O_y$
–annealing 21
–synthesis 21
–XRD 21
$HgBa_2CaCu_2O_{6+\delta}$
–oxygen stoichiometry 13
–structure 13

$HoBa_2Cu_3O_{7-\delta}$
–electron heat capacity 143
–heat capacity 143
–phonon density of states 143

KC_{60}
–ESR 27
–phase transformations 27

$La_{2-x}Ca_xCuO_4$ single crystals
–electrical resistivity 202
–magnetization 202
–structure 202
–synthesis 202

$Pt/YBa_2Cu_3O_{6+x}$
–directional solidification 243
–orientation control 243

$RBa_2Cu_4O_8$
–synthesis 261
–XRD 261
$RSr_2Cu_2NbO_{7+\delta}$
–magnetic susceptibility 266
–structure 266
–synthesis 266

$Sr_3Ca_3Cu_6O_{15\pm\delta}$
–HRTEM 285
–high-pressure synthesis 285
–structure 285

$Tl_2Ba_2CuO_{6+\delta}$
–synthesis 98
$Tl_3(CrO_4)Sr_8Cu_4O_{16}$
–laser treatment 159
–neutron diffraction 159
–structure 159

$Y_1Ba_2Cu_3O_{6.5}$
–electronic structure 54

$Y_{1-x}Ca_xBa_2Cu_3O_{7-y}$
–AC-susceptibility 272
–neutron diffraction 272
–structure 272
$Y_{1-x}Pr_xSr_2Cu_{2.8}Re_{0.2}O_{6+z}$
–neutron diffraction 135
–thermopower 135
–XRD 135
YBCO thin films
–Raman scattering 89
–sputtering 89
–synthesis 89
–XPS 89
–XRD 89
$YBa_2(Cu_{0.90}Fe_{0.10})_3O_{7.07}$
–Mössbauer spectroscopy 215
$YBa_2(Cu_{0.99}Fe_{0.01})_3O_{6.97}$
–Mössbauer spectroscopy 215
$YBa_2Cu_2O_{6+x}$
–AC-susceptibility 127
–activation energy 127
–flux pinning 127
$YBa_2Cu_3O_x$ single crystal
–magnetization 173
–structure 173
–twin boundaries 173
$YBa_2Cu_3O_{6+x}$
–substitution effects 243
$YBa_2Cu_3O_7/Ag$
–synthesis 111
$YBa_2Cu_3O_7$
–fishtail effect 292
–magnetization 292
–peak effect 292
$YBa_2Cu_3O_{7-\delta}$ thin film
–oxygen stoichiometry 168
$YBa_2Cu_3O_{7-\delta}$
–angle-resolved photoemission 255
–cleaving 255
–Fermi edge 255
$YBa_2Cu_3O_{7-x}$ films
–AFM 236
–growth mechanism 236
–synthesis 236
$YBa_2Cu_3O_{7-x}$
–CeO_2 doping 220
–critical current density 220
–PtO_2 doping 220
–TEM 220
$YBa_2Cu_3O_{7-y}$ thick films
–synthesis 120
–TEM 120
–transport properties 120